File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

### WATER WELL REPORT

STATE OF WASHINGTON

Walltag id: AGA545
33/61-13R
Application No.

(1) OWNER: Name KRIEG CONST INC	Address 4555 Hiwy 20 DAN HARDA
2) LOCATION OF WELL: County / SLAND	SE " SE " Sec 13 T 33 N. R. / E W
Bearing and distance from section or subdivision corner	
(3) PROPOSED USE: Domestic (1) Industrial   Municipal	(10) WELL LOG:
Irrigation   Test Well   Other	Formation: Describe by color, character, size of material and structure, c show thickness of aguifers and the kind and nature of the material in electratum penetrated, with at least one entry for each change of formati
(4) TYPE OF WORK: Owner's number of well (if more than one)	MATERIAL FROM TO
New well Method: Dug Bored	HARD GRAVEL 0 20
Deepened	MOSTLY SAND 20 94
Reconditioned C Rotary L Jetted L	FINE WATER SAND 94 114
(5) DIMENSIONS: Diameter of well inches.  Drilled Depth of completed well fr.	CIAY
(6) CONSTRUCTION DETAILS:	
Casing installed: 6 Diam. from O ft. to 109km.	
Threaded Diam, from the to the	10 6001
Welded 2	10 5711
Perforations: Yes D No 1	
Type of perforator used	
SIZE of perforations in. by in. perforations from ft. to ft.	
perforations from ft. to ft.	
perforations from ft. to ft.	
Savagnet at the S	
Screens: Yes No O O NSO.	
Model No So. Y.	
Diam. Slot size from 10 % 1- it. to 1/19 14.	
Diam. Slot size from ft, to ft.	
Gravel packed: Yes   No   Size of gravel:	3 2 3
Gravel placed from ft. to ft.	
Surface seal: Yes No To what depth? ft.	
Material used in seal	
Type of water? Depth of strata	
Method of sealing strate off	
(7) PUMP: Manufacturer's Name Goods	- TOFIVED
Type: Sub HP 3/4	RECEIVED
	ADD 0 1 2008
(8) WATER LEVELS: Land-surface elevation 150 ft. Static level 9 ft. below top of well Date MAR.	APR U 1 2000
Static level ft. below top of wen Dates and Artesian pressure lbs. per square inch Date	DEPT, OF ECOLOGY
Artesian water is controlled by	
(Cap, varve, tite)	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Work started MAC 19 Completed MAC 19
Was a pump test made? Yes No (1) yes, by whom?	WELL DRILLER'S STATEMENT:
Yield: gal./min. with ft. drawdown after hrs.	<b>)</b>
0 0 0 0 0 0	This well was drilled under my jurisdiction and this reportrue to the best of my knowledge and belief.
	•
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  Time Water Level   Time Water Level   Time Water Level	NAME WHIDE DAILLEKS (Person, firm, or corporation) (Type or print)
	ON HARBOR
	Address
	1 (7)
Date of test	[Signed] (Well Driller)
Baller test / 0 gal /min. with /3 ft. drawdown after # hre	1 / 12 Min
Artesian flow	License No. Date Date 10
Temperature of water	j

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

## WATER WELL REPORT STATE OF WASHINGTON

33/e/-- 13 R
Application No.

Parmit	No		
r cimie	140		

(1) OWNER: Name KRIEG CONST INC	Address 4555 Hiwy 20 6	DAK H	ROLR
2) LOCATION OF WELL: County / SLAND	_SE 1 SE 1 Sec 13 T3	3 N. R.,	LE W.M.
Bearing and distance from section or subdivision corner			
3) PROPOSED USE: Domestic De Industrial [] Municipal []	(10) WELL LOG:		
Irrigation   Test Well   Other	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of i stratum penetrated, with at least one entry for each c	i and structhe materi	cture, and al in each lormation.
(4) TYPE OF WORK: Owner's number of well (if more than one)	MATERIAL	FROM	TO
New well Method: Dug Bored	HARD GRAVEL	0	20
Deepened	MOSTLY SAND	20	94
Accordances (	FINE WATER SAND	94	114
(5) DIMENSIONS: Diameter of well inches.  Drilled Depth of completed well // / rt.	C/AY	114	
(6) CONSTRUCTION DETAILS:		<u> </u>	
Casing installed: Diam. from O ft. to 109km.			
Threaded   " Diam. from	10 GPM		
Perforations: Yes   No (1)			-
Type of perforator used		<del>                                     </del>	
perforations from ft. to ft.		<del> </del>	<u> </u>
perforations from ft. to ft.			
perforations from ft. to ft.			
Screens: Yes h No -		<u> </u>	
Manufacture's Name Johnson		<del>                                     </del>	
Type WeldED Model No 30 4  Diam & Slot size I from 109 1/2 ft. to 1/4 1/4.		+	
Diam. Slot size from ft. to ft.	<u> </u>	· <del></del>	
Gravel packed: Yes   No   Size of gravel:	2 1		
Gravel placed from ft. to ft.	3, 8,	<b>Y</b>	
Surface seal: Yes No D To what depth?	400	<del></del>	= =
Material used in seal. RENTONITE	13 3	<del> </del> -	
Did any strata contain unusable water? Yes 🗌 No 🜠	1	<del></del>	<del> </del>
Type of water? Depth of strata		<del> </del> -	
Method of sealing strats off			<u> </u>
(7) PUMP: Manufacturer's Name Gorld			
Type: Sub HP 3/4			
(8) WATER LEVELS: Land-surface elevation above mean sea level			<u> </u>
Static level 97 ft. below top of well Date MAR 12		<del></del>	-
Artesian pressurelbs. per square inch Date		<del></del>	<del> </del>
(Cap, valve, etc.)		+	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Work started MAC 19 Completed A	1AC	19 F
Was a pump test made? Yes □ No 1 yes, by whom?	1	<del></del>	
Yield: gal./min. with ft. drawdown after hrs.	WELL DRILLER'S STATEMENT:		
" "	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this	report
Recovery data (time taken as zero when pump turned off) (water level		_	_
Recovery data (time taken as zero when being to the only (when measured from well top to water level)  Time Water Level   Time Water Level   Time Water Level	NAME WHIDBEY WILL (Person, firm, or corporation)	(Type or )	ک print)
	Address ON ITAKBOK		
	Address	/ssss	
	10000000 1	take	_
Date of test  Bailer test	[Signed] (Well Driller)		
Artesian flow g.p.m. Date	1/26 m M	4.0	10 (
Temperature of water Was a chemical analysis made? Yes [ No is	License No. Date Date	5. <b>47.1</b>	, 10?
	-		

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

#### WATER WELL REPORT STATE OF WASHINGTON

33/61-13R
Application No.

(1) OWNER: Name KRIEG COMST INC	Address 4533 Hiwy 20	OAK H	RON
(2) LOCATION OF WELL: County / SLAND	SE & SE N Sec. 13 T.	33 <sub>N., R.</sub>	IE.w.m.
dearing and distance from section or subdivision corner		===	
3) PROPOSED USE: Domestic il Industrial   Municipal	(10) WELL LOG:		
Irrigation [ Test Well [ Other [	Formation: Describe by color, character, size of mater show thickness of aguifers and the kind and nature of stratum penetrated, with at least one entry for each	ial and stru the materi change of	cture, and ial in each formation.
(4) TYPE OF WORK: Owner's number of well (if more than one)	MATERIAL	FROM	то
New Well D Method: Dug Dored D	HARD GRAVEL	0	20
Deepened	MOSTLY SAND	70	94
	FINE WATER SAND	94	114
Drilled Depth of completed well finches.			
(6) CONSTRUCTION DETAILS:			-
Casing installed:   Diam from O n. to 109h n.			
Threaded   " Diam. from ft. to ft.	10 GPM		
Weided Diam. from tt. to		- <del> </del> -	<u> </u>
Perforations: Yes   No ()		+	
Type of perforator usedin. byin.		<del></del>	
perforations from ft. to ft.			
perforations from			
		-	<del></del> -
Screens: Yes No O Johnson			
		+	
Diam. Slot size from 109 1-1t. to 117 7-1t.			
Diam. Slot size from ft. to ft. to ft.	3		i
Gravel packed: Yes   No   Size of gravel:	3-36	<del></del>	<u> </u>
Gravel placed from tt. to tt.		<del></del>	
Surface seal: Yes & No D To what depth?	3 4		
Material used in seal BEATONITE  Did any strata contain unusable water? Yes   No			
Type of water? Depth of strata			: 
Method of sealing strata off			<del></del>
(7) PUMP: Manufacturer's Name (-0.764)  Type: HP 3/9			
(8) WATER LEVELS: Land-surface elevation /50 ft.		_	- <del></del>
Static level 97 tt. below top of well Date MAR The			
Artesian pressure			<del> </del>
Artesian water is controlled by (Cap, valve, etc.)			<b></b>
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Work started MAC 19 Completed A	MAK	
Was a pump test made? Yes No (1) If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.	This well was drilled under my jurisdiction	n and this	z renort is
<u> </u>	true to the best of my knowledge and belief.	, and the	, 1 <b>CP</b> 014 10
Recovery data (time taken as zero when pump turned off) (water level	WILLIAM TO THE		,
measured from well top to water level)  Time Water Level   Time Water Level   Time Water Level	NAME (Person, firm, or corporation)	(Type or	print)
	CAN HAGRON		
	Address		
Date of test	[Stoned]	老人	
Date of test  Bailer test   6 gal /min, with   3 rt drawdown after   4 hrs	[Signed] (Well-Driller)		Ű.
Artesian flowg.p.m. Date	$\mathcal{L}_{i}$ $\mathcal{L}_{i}$ $\mathcal{L}_{i}$	AR	19ه
Temperature of water Was a chemical analysis made? Yes [] No [	1	-64	4 -
(USE ADDITIONAL	SHEETS IF NECESSARY) NOV	29 201	1 0
ECY 050-1-20	/ 💆		<b>27</b>
	SHEETS IF NECESSARY)  NOV		~
	\ RE	SOURCE	der.
	• '	· OOK	



# 33-18-13R

# Well Tagging Form

Unique Well Tag No:

BCB 770

## RECORD VERIFICATION (check ✓one)

Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you).

If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. Do not use this form for wells that do not have a Water Well Report.

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT
First Name: Krieg Construction Company (upper well)
Street Address: 70 W Sleeper Road
City: Oak Harbor State: WA 98277
LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT
Well Address: Parcel R13313-015-4400, 70 W. Sleeper Rd
City: Oak Harbor County: Island
T. $33$ N. R. $1$ $6$ W.M. Sec. $13$ $56$ $4$ of the $56$
Latitude 48 20 43849 " Longitude 122 37 16719 "
Elevation at land surface

SEE BACK SIDE OF PAGE ...



WELL CHARACTERISTICS	
strapped to well casing in lean-to-doghouse"  on south side of pump house - west and parkings	A

.D	, C.,	В	Α	
E	F	G_	Н	Š.
M	L	K	J	
N	P	Q	R	\   
			1/1/1	U

Scale 1:24,000 (1" = 2,000")

Indicate the location of the well within the Section by drawing a dot at that point

SECTION \_\_\_\_\_

THIS well tag replaces previously reported but

missing AGA 545
see map attacked

